

Lloyd Ltd.

CARLISLE
PENRITH

Your local construction machinery specialists.

Sales. Servicing. Parts. Advice.



Lloyd

www.lloyd.ltd.uk

KOBELCO



Thwaites



Mercedes-Benz
Trucks you can trust



Lloyd Ltd.

CARLISLE
PENRITH

Your local construction machinery specialists.

Sales. Servicing. Parts.



KOBELCO



Thwaites



At Lloyd Ltd we understand how important it is to know that the machinery you are investing in is robust, reliable and versatile, which is why we are proud to represent a host of leading construction machinery manufacturers to give our customers as much choice as possible to suit their requirements.

From mini-diggers to massive excavators, backhoes to wheel loaders, trailers and even the Mercedes-Benz Unimog implement carrier, our range of specialist construction machinery is second to none.

Cost-effective, economical to use and highly productive, our product selection gives our customers the peace of mind to know that they have chosen the right machine to do the task at hand. Factor in our exceptional aftersales care – express parts delivery, on-site servicing and repairs, and out-of-hours emergency cover – and our customers can be assured that they have the perfect combination of machinery and support to ensure their business operations are running at their best.

Please browse this brochure to learn more about the range of machinery we can provide.

This is just a selection of what we at Lloyd Ltd can offer, so please contact your local Construction Sales Specialist, Chad Rothern, on the details below if you would like further information.

Simon Miller
Dealer Principal



Chad Rothern
Construction Sales
Representative
07980 798 311
E-mail:
chad.rothon1@lloydgroup.co.uk



KOBELCO SK55 Excavator

The perfect all-rounder

Lloyd Ltd BULK ORDER DEAL

- 5.5 tonne
- Long arm
- Proportional hand control
- Rubber tracks
- N&B piping
- Dozer
- O.H.K.
- Refuelling pump
- Radio
- Air con
- Deluxe seat & display

Wide range of tailored finance packages available.

Contact our Construction Sales Specialist, Chad Rothern, to arrange your demonstration or for a personalised quotation.



**DEMONSTRATOR
AVAILABLE**

Finance packages available.

Up to 5 years' extended warranty options and service & maintenance packages available.

KOBELCO SK85MSR-3 Excavator

KOBELCO



Key features as standard:

- Isuzu engine
- 450mm rubber or 600mm steel tracks
- Dozer blade
- Long arm
- Proportional hand control
- E & N & B piping (2-way and low flow line)
- New ITCS Control System
- Check values & O.H.K.
- Auto idle
- Lower frame guard
- Rear and right-hand camera
- Additional worklights
- Air-conditioned cab
- Air seat
- Radio – Bluetooth
- KOMEXS Monitoring System
- 2 years/2,000 hours Kobelco warranty

Warranty and flexible finance options available.

Finance packages available.

Up to 5 years' extended warranty options and service and maintenance packages available.



KOBELCO SK140SRLC-5 Excavator



The new worldwide-model SK140SRLC. Working for the planet.

This short rear-swing excavator has become the standard for mid-sized machines, benefiting from innovations such as the iNDR noise reduction system that both shuts out dust and cuts noise.

Premium, high-end machinery for exceptional reliability and robustness.

Excellent residual values for strong ROI.

Key features as standard

- Isuzu engine
- 700mm tracks
- Dozer blade
- Long arm
- Proportional hand controls
- E & N & B piping (2-way and low flow line)
- Check valves & O.H.K.
- Air-conditioned cab
- Air seat with heater
- Radio – Bluetooth
- Short radius for agility and manoeuvrability
- Auto idle
- Double element air cleaner
- Refuelling pump
- Working mode selector (H/S/Eco-modes)
- Two-speed travel with automatic shift down
- Rear-view mirrors, rear-view camera and side-view camera for added visibility and safety
- EU radio (AUX & USB & Bluetooth)



2-year/2,000-hours Kobelco warranty.

- Other options available.

Finance packages available.

Up to 5 years' extended warranty options and service and maintenance packages available.

KOBELCO SK210LC-10 Excavator



Setting new standards for environmental responsibility.

Kobelco has designed machines which combine greater digging capacity with fuel efficiency and economy, while imposing less of a burden on the environment.

Premium, high-end machinery for exceptional reliability and robustness.

Excellent residual values for strong ROI.

Key features as standard

- HINO engine
- 800mm tracks (additional track guides)
- Proportional hand control
- E & N & B piping (2-way and low flow line)
- Check valves & O.H.K.
- Right-hand and rear-view camera
- Refuelling pump
- Rain visor
- Air-conditioned cab, air seat and heated seat
- Radio – Bluetooth
- Lower frame guard
- Extended guard rail
- Additional worklights
- Arm regeneration system for fuel economy
- Skylight and tinted glass for improved visibility
- Two-speed travel with automatic shift down
- Working mode selector (H/S/Eco-modes) with Power Boost
- KOMEXS monitoring system to help you get the most from your machines.

**DEMONSTRATOR
AVAILABLE**



2-year/2,000-hours Kobelco warranty

Finance packages available.

Up to 5 years' extended warranty options and service and maintenance packages available.



LIMITED STOCK AVAILABLE

ED 160-5 Blade Runner 16-tonne short-radius excavator comes with 6-way dozer

Productive digging and large-capacity dozing. Dual purpose from the start.

Fit a hydraulic excavator with a large, tilt-angle dozer blade for great performance both digging and dozing - that's the ED160 Blade Runner.

Using one machine to cover a whole range of jobs including levelling, digging, pipe laying and backfilling gives a massive boost in productivity. The six-way tilt-angle blade allows levelling and backfilling on irregular ground.

And the ED160 Blade Runner features the short rear-swing SR specification that means the operator can get on with the job in the tightest spaces without worrying about what's behind, as well as having built-in strength to deal with the double tasks of dozing and digging.

Its iNDR noise and dust control system cuts engine noise and simplifies maintenance. Add to that a well-equipped, comfortable cab.

Giving fast, efficient digging and large capacity dozing, this one machine is versatility itself on site.

Setting new standards for environmental responsibility.

Kobelco has designed machines which combine greater digging capacity with fuel efficiency and economy, while imposing less of a burden on the environment.

Premium, high-end machinery for exceptional reliability and robustness. Excellent residual values for strong ROI.

Key features as standard

- Six-way adjustable Power, Angle and Tilt capability dozer blade with 196kN of force
- The blade can be angled 25 degrees to the left or right, and tilts up on the left or right sides by 455mm
- 3.2m blade width
- Short radius
- Auto Idle Stop for fuel economy
- Isuzu engine
- 600mm curved tracks
- Long arm
- E & N & B piping (2-way and low flow line)
- Check valves & O.H.K.
- Lower frame guard
- Additional worklights
- Proportional hand control
- Automatic air conditioner
- Air suspension seat with heater
- Two-speed travel with automatic shift down
- Working mode selector (H/S/Eco-modes)
- KOMEXS monitoring system to help you get the most from your machine
- 2 years/2,000 hours Kobelco warranty



Finance packages available.

Up to 5 years' extended warranty options and service and maintenance packages available.

BOBCAT Mini and Midi Excavators

Lloyd Ltd BULK ORDER DEAL



- Demo machines.
- Flexible 0% finance.
- Up to 3 years' warranty.
- 3-year Service Plans.

ALL AVAILABLE FOR HIRE

BOBCAT E10 Compact Excavator. The All-New Zero Tail-Swing



With a retracted track width of only 74cm/29 inches, the Bobcat E10 Compact Excavator can access difficult and cramped jobsites where exhausting manual labour is your only other option.

- Navigates through narrower openings and can operate in more confined areas. The zero tail-swing gives you the greatest flexibility to pivot and deposit soil while offering the most protection against accidental contact with surrounding property.
- Bobcat ergonomic controls help you control attachments with precision and flexibility, without feeling tired. Grade, level and backfill with less input.

Operating weight: 1,176kg

As standard

- Kubota engine
- Extendable dozer blade
- 180mm rubber tracks
- 710 – 1,100mm hydraulic expandable tracks
- Two-speed travel
- Worklights
- Rollbar
- Demolition kit

- **Up to 3 years' warranty**



BOBCAT E17 Mini Excavator. Wider footprint. Greater performance.



The Bobcat E17 mini excavator delivers performance in confined spaces with the need for only minimal repositioning. The operator can hydraulically retract the undercarriage to a width of only 98cm in order to travel through gates or between walls and houses, then expand it to 136cm for a wider footprint and greater performance.

Reduced tail swing for better versatility on compact jobsites.



As standard:

- Operating weight: 1,711kg
- Kubota engine
- Cab or canopy • Worklights
- Extendable dozer blade
- 980 – 1360mm hydraulic retractable undercarriage
- 230mm rubber tracks
- Two-speed • Hammer pipework
- **Up to 3 years' warranty**

BOBCAT E19 Mini Excavator. Reduced tail swing. Fingertip control.



The Bobcat E19 mini excavator delivers impressive performance in confined spaces with the need for only minimal repositioning. The operator can hydraulically retract the undercarriage to a width of only 98cm in order to travel through gates or between walls and houses, then expand it to 136cm for a wider footprint and greater performance.

As standard:

- Operating weight: 1,781kg
- Kubota engine
- Deluxe cab with radio
- Long arm • Worklights
- Two-speed • Hammer pipework
- Extendable dozer blade
- 980 - 1360mm hydraulic retractable undercarriage
- Comfort Package upgrade
- **Up to 3 years' warranty**



BOBCAT E20 Zero Tail-Swing Mini Excavator. Accurate positioning. Minimum effort.



The Bobcat E20 mini excavator delivers impressive performance in confined spaces with the need for only minimal repositioning.

- The operator can hydraulically retract the undercarriage to a width of only 98cm in order to travel through gates or between walls and houses, then expand it to 136cm for a wider footprint and greater performance.
- The E20 has zero tail-swing for versatility and manoeuvrability on the most compact jobsites.
- The optional fingertip-controlled boom offset and auxiliary offer the benefit of improved controllability of the boom swing function and connected attachments.

Operating weight: 1,930kg

As standard:

- Zero tail-swing
- Kubota engine
- Deluxe cab with radio & heater
- Long arm
- Two-speed
- Hammer pipework
- Worklights
- Comfort Package: Pivot Control, Auto Speedshift.

- **Up to 3 years' warranty**

DEMO AVAILABLE



BOBCAT Mini and Midi Excavators

Lloyd Ltd BULK ORDER DEAL



- Demo machines.
- Flexible 0% finance.
- Up to 3 years' warranty.
- 3-year Service Plans.

ALL AVAILABLE FOR HIRE

BOBCAT E26 Mini Excavator. Zero Tail-Swing. Cab Machine



With innovative technologies, this is designed for reliability, operator comfort, smooth workgroup control and superior hydraulic performance.

- Excellent stability. • Smooth and powerful hydraulics.
- Uncompromised operator comfort.
- Great reliability and durability.
- Zero Tail-Swing (ZTS) design.
- Easy service accessibility.
- By optimising the weight of the workgroup using the proven "4-plate box" technology, the centre of gravity has been moved towards the back of the excavator. As a result, the E26 does not require an additional counter-weight when configured with the optional long dipper stick.

Operating weight: 2,565kg

As standard

- Kubota engine
- Deluxe cab with heater & radio
- Long arm and additional corner weight
- Auto idle
- Two-speed travel with Autoshift
- Dozer blade with blade float
- Joystick with fingertip control
- Hammer pipework
- Suspension seat
- Cab lights and worklights



BOBCAT E62 Mini Excavator. Zero Tail-Swing.



The Bobcat E62 is a zero tail-swing design compact excavator with an operating weight of 6.2 tonnes.

- This model features an extra large cab, offering great operator comfort in terms of environment, leg room and visibility.
- To accommodate customer requirements, the E62 offers optional steel tracks, blade cylinder load holding valve and third auxiliary hydraulic lines.
- The long arm option paired with the additional counterweight maximises dig depth, reach and dump height clearance.
- The hydraulic joystick control ensures smooth, fluid operation, to operate at maximum efficiency.

Operating weight: 6,130kg

As standard:

- Reduced tail-swing
- Dozer blade, long arm and counterweight
- First, second and third auxiliary hydraulics
- Fingertip joystick control
- Auto idle
- Two-speed with Autoshift
- Check valves
- 400mm rubber or steel tracks
- Deluxe cab with air con
- 5.7" LED screen
- Electric refuelling pump



BOBCAT E85 Mini Excavator. Minimal Tail-Swing for demanding jobs.



The largest compact excavator in the current Bobcat line-up, the minimal tail swing E85 offers you powerful hydraulics and fast cycle times to power your way through the most demanding jobs.

- Operators enjoy a roomy cab with a fully-adjustable super deluxe seat as standard.

Operating weight: 8,540 kg

As standard:

- Reduced tail-swing
- Dozer blade
- Long arm
- Counterweight
- First, second and third auxiliary hydraulics
- Fingertip joystick control
- Auto idle.
- Two-speed with Autoshift
- Check valves
- 450mm rubber or steel tracks
- Deluxe cab with air con
- 5.7" LED screen
- Electric refuelling pump



BOBCAT Skid-Steer Loaders Lloyd Ltd BULK ORDER DEAL

Full range of demo machines available - contact Chad Rothon to arrange your demonstration.



0% finance available.

Make your BOBCAT fit for every purpose with our impressive selection of attachments.



BOBCAT T590 Compact Tracked Skid-Steer Loader.



With the highest lifting height in the 500 platform, the Bobcat T590 compact track loader is ideal for loading and unloading tasks.

The Tier-4, vertical-lift T590 is ideal for tasks where space is limited but there is a need for maximum lift height. Unmatched power to help you push through your toughest jobs.

Benefit from industry-leading breakout force, rated operating capacities, faster cycle times and quicker turns.

Tipping load: 2,778kg
Width: 1,727mm (5' 8")
Vertical lift arm
320mm rubber tracks



- Options of:**
- Advanced control system
 - Selective joystick controls
 - High flow hydraulics
 - Two-speed travel
 - Air seat
 - Power Bob-Tach
 - Deluxe panel
 - Wider tracks
 - Heated cab

BOBCAT S70 Compact Wheeled Skid-Steer Loader



Compact but powerful, the Bobcat S70 skid-steer loader is small enough to get in tight spots, yet strong enough to get any job done. This agile little workhorse is the ideal size for scooting through narrow doorways, corridors, small paths and gates, and for working under low ceilings. It is the perfect loader whenever the job is too big for a shovel or the space is too small for a larger machine.

Tipping load: 686kg
Width: Only 914mm (3' 0")
Radius arm

- Options of:**
- Heated cab
 - Tyre options



BOBCAT S450 Compact Wheeled Skid-Steer Loader



The Bobcat S450's width makes it a great performer for its size – and the tight turning radius lets you handle big jobs in small areas.

The S450 features a radius lift path for greater maximum reach at mid-range heights, like dumping over a wall, backfilling or unloading flatbed trucks.

Tipping load: 1,215kg
Width: 1,490mm (5' 0")
Radius arm



- Options of:**
- Advanced control system
 - Selective joystick controls
 - Heated cab
 - Air seat
 - Power Bob-Tach
 - Deluxe panel
 - Tyre options

BOBCAT S530 Compact Wheeled Skid-Steer Loader



The Bobcat S530, the smallest vertical-lift-path loader, is perfect for loading trucks or mixers where more reach and lift height are needed at the top of the lift cycle.

Powered by a Tier-4 diesel engine, the S530 is a popular choice in its size class.

Bobcat Standard Controls remain the most popular style for loaders. Control the drive functions with dual steering levers. Manage the loader lift and tilt with dual foot pedals.

Tipping load: 1,737kg
Width: 1,643mm (5' 5")
Vertical lift arm



- Options of:**
- Power Bob-Tach
 - Selective joystick controls
 - Advanced control system
 - Heated cab
 - High flow hydraulics
 - Two-speed travel
 - Air seat
 - Deluxe panel
 - Tyre options

NEW HOLLAND B 100-C Backhoe Loader



The 4.5 litre turbocharged engines for the new machines are provided by FPT Industrial, a world-wide leader in the design, production and sale of powertrains for industrial applications, supplying among others Fiat Industrial brands such as New Holland Construction and Iveco. The Variable Displacement Pump hydraulic system is standard on B100-B and above, contributing to a 10% fuel saving and a rapid return on investment.

- 98hp engine
- 4-speed manual transmission or Powershift
- Powershuttle
- 40kph
- 6-in-1 bucket
- Hammer pipework
- Mechanical or Pilot Control
- 3,450kg lift capacity
- 156 LPM
- Agricultural or construction tyres
- Extendable dipper
- 600-hour service intervals

Build your own! Options include:

- Check valves • Transmission
- Hydraulic side shift • Air conditioning
- Pilot Control • Tyres • Street pads
- Pipework
- Autoglide loader suspension

Warranty and flexible finance options available.

For the full range visit www.lloyd.ltd.uk

NEW HOLLAND B 110-C Backhoe Loader



The New Holland backhoe range can be equipped with a wide choice of buckets to match excavation, water course clearance, trenching and other demands. Post hole borers, hydraulic hammers and countless other tools can all be fitted. The long reach of both the standard and telescopic dipper, up to a massive 6,529mm, allows long reach and digging depth comparable to many conventional dedicated excavators.

There are no performance compromises with a backhoe loader.

- 111hp
- 4-speed manual transmission or Powershift
- Powershuttle
- 40kph
- 6-in-1 bucket
- Hammer pipework
- Mechanical or Pilot Control
- 3,553kg lift capacity
- 6 – 165 LPM variable pump
- Agricultural or construction tyres
- Extendable dipper
- 600-hour service intervals

Build your own! Options include:

- Check valves • Transmission
- Hydraulic side shift • Air conditioning
- Pilot Control • Tyres • Street pads
- Pipework
- Autoglide loader suspension

For the full range visit www.lloyd.ltd.uk

NEW HOLLAND W170D Wheel Loader



DEMONSTRATOR AVAILABLE



New Holland W170D wheel loaders are designed to meet the needs of large scale farmers, agricultural contractors, composting operators and biogas farmers where absolute loading performance is critical. Developed from machines proven in the toughest quarries, 24-hour recycling plants and countless intensive industrial applications, New Holland wheel loaders deliver tough, versatile and dependable performance.

Features as standard:

- 197hp
- Pilot Control
- 5-speed Powershift 40kph
- Auto Rise Control (Boom suspend)
- 15,291kg operating weight
- Heavy-duty 2F axles
- Torque lock-up
- Volvo quick hitch
- LED lights
- Rear-view camera
- Michelin X BIB 750/65/26 tyres
- HD Cooling Package

Options include:

- Tyre size
- Long reach arm
- Two-link quick hitch
- Up to 5 years' warranty

Warranty and flexible finance options available.

W190D Wheel Loader also available



Features as standard:

- 234hp
- Pilot Control
- 5-speed Powershift 40kph
- Torque lock-up
- Auto Ride Control
- 19,540kg operating weight
- Heavy-duty 2F axles
- LED lights
- Rear-view camera
- L3 HD tyres
- HD Cooling Package

Options include:

- Tyre size
- Long reach arm
- Two-link quick hitch
- Up to 5 years' warranty



W190D also available: 234hp

For the full range visit www.lloyd.ltd.uk

MANITOU MT 420 H Telehandler



The 420 H New Buggy is the most compact telehandler in the MT Manitou range. With its exceptional dimensions, the MT 420 H New Buggy is the ideal partner on any worksite. Capable of negotiating the most confined, uneven and difficult-to-access spaces, the MT 420 H New Buggy boasts four drive wheels and a turning radius of less than three metres. Enjoy a compact, easily manoeuvrable machine which will help reduce your Total Cost of Ownership.

- Hydrostatic transmission
- JSM joystick
- Reverse alarm

Optional extras:

- Air conditioning
- Pneumatic seat
- Hydraulic locking head
- Hydraulic return to task
- Extra lights
- Tyre options

Length: 3.63m	Engine: Kubota
Width: 1.49m	Power: 49hp
Height: 1.9m	Lifting capacity: 2,000kg
Weight: 4,260kg	Lifting height: 4.30m

Warranty and flexible finance options available.

For the full range visit www.lloyd.ltd.uk

MANITOU MT 625 H Telehandler



The MT 625 H telehandler is specially designed for building sites and renovation projects involving lower heights.

Its compact dimensions - with a width of 1.8m and under 2.0m in height - mean you can easily pass under thresholds and navigate congested areas. Its 3.3m turning radius and 3 steering modes available provide you with excellent manoeuvrability. Easy to use, this handler features an ergonomic instrument panel and JSM-equipped joystick to execute manoeuvres easily.

- Hydrostatic transmission
- JSM joystick
- Reverse alarm
- Tilt lock
- Front & rear wipers with washer

Optional extras:

- Air conditioning
- Pneumatic seat
- Hydraulic locking head
- Extra worklights
- Tyre options
- Hand throttle

Length: 3.90m	Engine: Kubota
Width: 1.81m	Power: 75ch
Height: 1.92m	Lifting capacity: 2,500kg
Weight: 4,800kg	Lifting height: 5.85m

Warranty and flexible finance options available.

For the full range visit www.lloyd.ltd.uk

MANITOU MT 732 Telehandler



The MT 732 is a telehandler specially designed for the construction sector. Its low fuel consumption and affordable price are greatly appreciated by buyers and professionals wishing to invest in large quantities.

Its compact frame and ease of manoeuvring, thanks to its three steering modes combined with four-wheel drive, the JSM system and a mechanical gearbox, mean you can handle all sorts of situations with any type of ground conditions. Affordable, powerful and robust, this handler will quickly become a valued partner for all of your work sites.

- 75hp
- JSM joystick control
- 24" tyres
- Ton hook
- Worklights
- 4-speed torque converter
- Power Shuttle

Width: 2.34m	Power: 75hp
Height: 2.30m	Lifting capacity: 3,200kg
Weight: 6,780kg	Lifting height: 7.00m
Engine: Deutz	

Warranty and flexible finance options available.

For the full range visit www.lloyd.ltd.uk

MANITOU MT 932 Telehandler



The MT 932 Easy telehandler is perfect for all of your applications in the construction sector, and particularly for medium-height work sites. Its low fuel consumption and affordable price make it an excellent investment for buyers and rental operators.

Easy to use and maintain, a spacious driver's cab, excellent visibility with all of the main controls at your fingertips... these are just some of the ways we've placed operator safety and comfort at the heart of Manitou's designs.

Affordable, powerful and robust, this handler will quickly become an indispensable partner for work activities.

- 75hp
- JSM joystick control
- 24" tyres
- Ton hook
- Worklights
- 4-speed torque converter
- Power Shuttle

Length: 4.70m	Engine: Deutz
Width: 2.34m	Power: 75hp
Height: 2.30m	Lifting capacity: 3,200kg
Weight: 7,145kg	Lifting height: 9.00m

Warranty and flexible finance options available.

For the full range visit www.lloyd.ltd.uk

MANITOU MT 1135 Telehandler



The MT 1135 is a specially-designed telehandler for work sites in buildings up to two/three storeys tall. It comes equipped with a 102hp motor and in terms of performance offers you a lifting height of up to 11m, with compact outriggers so you can work in more confined spaces.

We know that comfort, safety and manoeuvrability are vital to operations. To ensure maximum comfort for the operator, this machine comes equipped with a panoramic and ergonomic driver's cab and the JSM system for all of the controls you need at your fingertips. The three steering modes, four-wheel drive and a tight turning radius mean you can easily navigate all manner of spaces.

- JSM joystick control
- Stabiliser legs
- Hydraulic frame levelling
- Digicode anti-theft system
- Hydrostatic transmission on torque converter

Options:

- Air conditioning
- Various attachments
- Hydraulic locking
- Crane
- Winch
- Platforms

Length: 5.37m	Engine:	Perkins
Width: 2.28m	Power:	102hp
Height: 2.42m	Lifting capacity:	3,500kg
Weight: 8,800kg	Lifting height:	11.05m

Warranty and flexible finance options available.

For the full range visit www.lloyd.ltd.uk

MANITOU MT 1335 Telehandler



The MT 1335 is designed with work sites up to two/three storeys tall in mind. It comes equipped with compact outriggers which improve its offset as well as the general performance of the machine as it can easily navigate more confined spaces. Its lifting capacity is 3.5t up to heights of 13m. And for the comfort of the operator, the spacious driver's cab is equipped with the JSM system and an ergonomic, intuitive instrument panel, and is easily accessed with its wider door.

The MT 1335 is powered by a 102hp motor with four-wheel drive for efficiency regardless of the type of terrain. Maintenance is made easy thanks to the double opening for the engine compartment and the diagnostics screen located on the instrument panel. All in all this handler marries comfort with performance, a perfect combination for medium-height work site operations.

- JSM joystick control
- Stabiliser legs
- Hydraulic frame levelling
- Digicode anti-theft system
- Hydrostatic transmission on torque converter

Options:

- Air conditioning
- Various attachments
- Hydraulic locking
- Crane
- Winch
- Platforms

Length: 5.86m	Engine:	Perkins
Width: 2.28m	Power:	100hp
Height: 2.42m	Lifting capacity:	3,500kg
Weight: 9,200kg	Lifting height:	12.55m

Warranty and flexible finance options available.

For the full range visit www.lloyd.ltd.uk

MANITOU MT 1440 Telehandler



The MT 1440 A telehandler is a great fit for high bay and high rise work sites where a work platform is required to carry out tasks such as roofing and siding. Able to handle 4t loads up to 14m in height, this machine is at home on any type of terrain thanks to its frame levelling system and four-wheel drive and steering.

The large number of compatible attachments available make it a veritable multi-tool carrier for real support on all of the various sites it is used.

And equipped with a low frame steel door to limit the risk of breakage, visibility is by no means affected to help you further reduce the risk of accidents occurring during handling operations.

- JSM joystick control
- Stabiliser legs
- Hydraulic frame levelling
- Digicode anti-theft system
- Hydrostatic transmission

Options:

- Air conditioning
- Various attachments
- Hydraulic locking
- Crane
- Winch
- Platforms

Length: 6.13m	Engine: Perkins
Width: 2.37m	Power: 100hp
Height: 2.45m	Lifting capacity: 4,000kg
Weight: 11,200kg	Lifting height: 13.53m

Warranty and flexible finance options available.

For the full range visit www.lloyd.ltd.uk

MANITOU MT 1840 Telehandler



The MT 1840 telehandler is specially designed for high bay/high rise work sites, with a lifting capacity of 4t up to 18m in height. Equally at home on uneven terrain, it has a generous ground clearance and tight turning radius so manoeuvrability never becomes an issue. In addition, excellent lateral and front stability make it a reliable on-site partner.

Robust and designed to last, this handler is equipped with a low frame steel door and quality components to ensure longevity. For easy transportability, multiple slinging points have been provided. A true multi-tasker, it can be adapted to meet all of your needs by changing the boom attachment.

- JSM joystick control
- Stabiliser legs
- Hydraulic frame levelling
- Digicode anti-theft system
- Hydrostatic transmission

Options:

- Air conditioning
- Various attachments
- Hydraulic locking
- Crane
- Winch
- Platforms

Length: 6.27m	Engine: Perkins
Width: 2.42m	Power: 100hp
Height: 2.50m	Lifting capacity: 4,000kg
Weight: 11,800kg	Lifting height: 17.55m

Warranty and flexible finance options available.

For the full range visit www.lloyd.ltd.uk

MANITOU 160 / 180 / 200 ATJ Articulated Platform



The Manitou articulated platform range is the most suited to work outdoors on uneven or sloping ground. The 160/180/200 models offer capacities of 230kg, up-and-over clearances of 7.38m and working heights of up to 20m, which provide the operator with a large working area.

Equipped with a diesel motor and four-wheel-drive combined with three steering modes, the Manitou ATJ range guarantees a high level of performance and autonomy. The intelligent design of the console provides a clear and precise environment for easy handling. The engine speed's hydraulic technology allows for a reduction in noise levels and consumption.

Standard specification across the range:

- Audible alarm and illuminated indicator lamp (levelling, overload, lowering)
- Emergency stop button in platform and on frame
- CAN bus technology
- Differential locking on rear axle
- Backup electrical pump
- 230V Predisposition
- Four-wheel steer with crab mode
- Four simultaneous movements
- Dead man pedal
- Four-wheel drive

Width: 2.28 – 2.4m	Lifting capacity: 230kg
Height: 2.37 - 2.71m	Working height: 16.01 - 20m
Weight: 6,160 - 10,050kg	Engine: Kubota
Power: 35 - 45hp	

Warranty and flexible finance options available.

For the full range visit www.lloyd.ltd.uk

MANITOU MRT 1440 – 3255 Easy Rotating Telehandler range



The MRT Easy Rotating Telehandler range is a perfect fit as both your first piece of construction equipment or as part of a rental fleet. Incredibly versatile, it's used for a wide range of applications thanks to the diversity provided by the compatible attachments available (forks, lifts, platforms, crane, etc.) ...a true 3-in-1 machine.

This telehandler was designed for maximum on-site safety. It comes equipped with fixed pivot outriggers with a broad support surface as well as a load status monitoring system capable of detecting any risk of overload to the machine. Simple, reliable and a true multi-tasker, this machine will quickly become the most popular in the work yard.

Standard specification across the range:

- Telehandler performance with all-round rotation
- Crane capability to handle heavy loads through 360 degrees on tyres or stabilisers
- Selection of platforms to suit different working heights and applications
- Spacious and comfortable cab offering 360-degree total visibility
- Simplified maintenance due to easy access to the engine and chassis
- A true off-road access solution enabling you to work at heights of up to 32m in total safety
- Simplified control with electro-proportional joysticks
- Storage of maximum movement speeds for all parts of the boom with up to 4 sets of parameters
- High performance stabilisation irrespective of terrain
- Wide range of accessories including forks, side shift carriages and skips
- Attachment Recognition System

Width: 2.4 – 2.5m	Lifting capacity: 4,000 – 5,500kg
Height: 2.97 – 3.2m	Working height: 13.8 – 31.6m
Weight: 12,490 – 23,986kg	Engine: Perkins/Mercedes
Power: 102 – 231hp	

Warranty and flexible finance options available.

For the full range visit www.lloyd.ltd.uk

THWAITES Full range of 1-tonne to 10-tonne Straight Tip or Swivel Tip Dumpers

Thwaites

1-tonne Hi-Tip



Engine: Yanmar 3TNV76, 15.9kW/21.4 bhp (nett) @ 2800rpm, 3-cylinder water-cooled diesel. Max torque 66.4Nm (49 lb f ft). Electric starting, hour meter, battery isolator switch and heavy-duty cyclonic air cleaner positioned within the lockable engine compartment.

Drive System: Hydrostatic with variable displacement pump feeding four wheel motors, incorporating "Twin-Lock" system to maximise traction.

Skip: Hydraulically operated, 3mm base, 4mm sides steel plate. Mouth reinforced with box sections giving greater strength to minimise damage, no material traps. Raise and tip control operated by twin control levers.

Seating & Controls: Column-mounted forward/reverse lever with foot pedal speed control. Adjustable suspension seat, accessible from both sides.

Audible warning device at key start 'on' position.

Super-bright warning lights for all critical functions.

Electric horn.

3-tonne Power Swivel



Engine: Yanmar 3TNV88, 24.8 kW/33.2bhp (nett) at 2800rpm, 3-cylinder water-cooled direct-injection diesel. Max torque 111Nm (82 lbf ft). Electric starting, hour meter, battery isolator switch and heavy-duty cyclonic air cleaner positioned within the lockable engine compartment.

Transmission: Hydrostatic with high/low speed range and forward/reverse direction controlled by one column-mounted lever. Inching facility for precise manoeuvres in restricted areas activated by first push on brake pedal.

Skip: Hydraulically operated, 6mm steel base plate, fully welded, mouth and sides of skip reinforced with box sections giving greater strength to minimise skip damage. No material traps. Powerswivel mounted on ball bearing turntable with powered rotation through 180° by means of twin slewing cylinders, operated by a single dual-axis control lever. Automatic safety lock holds skip in central position when travelling.

Seating & Controls: Adjustable suspension seat, accessible from both sides. Super-bright warning lights for all critical functions. Electric horn. Large pedal pads with handbrake and hydraulic controls ready to hand.

6-tonne Front Tip



Engine: Deutz TD 3.6 L4 55.4kW/74hp at 2200rpm, water-cooled, 4-cylinder, charged air-cooled turbo, electronic controlled fuel-injected diesel engine. Powercore air intake filter and stainless steel exhaust system, including after-treatment Diesel Oxidisation Catalyst providing conformity to EU Stage IIIB emission regulations. Peak torque 330Nm at 1600rpm.

Drive System: Torque converter four-speed forward and reverse Powershuttle transmission with column-mounted directional control lever and heavy-duty gear-driven transfer box.

Skip: Hydraulically operated, 6mm steel base plate, fully welded, mouth and sides of skip reinforced with box sections giving greater strength to minimise skip damage. No material traps.

Seating & Controls: Adjustable suspension seat, fitted with high-visibility rigid seat belt with adjustable web, accessible from both sides. Audible warning device for handbrake in "on" position, electric horn, large pedal pads, ignition key, park brake and skip controls ready to hand. Super-bright LED warning lights.

9-tonne Power Swivel



Engine: Deutz TCD 3.6 L4 55.4kW/74hp at 2200rpm, water-cooled, 4-cylinder, charged air-cooled turbo, electronic controlled fuel-injected diesel engine. Powercore air intake filter and stainless steel exhaust system, including after-treatment Diesel Oxidisation Catalyst providing conformity to EU Stage IIIB emission regulations. Peak torque 390Nm at 1300rpm.

Drive System: Torque converter four-speed forward and reverse Powershuttle transmission with column-mounted directional control lever and heavy-duty gear-driven transfer box.

Skip: Hydraulically operated, 8mm steel base plate, fully welded, reinforced with box section giving greater strength to minimise skip damage. No material traps. Powerswivel mounted on a ball bearing turntable with powered rotation through 180° by means of twin slewing cylinders, operated by a single dual-axis control lever. Automatic safety lock holds skip in central position when travelling.

Seating & Controls: Adjustable suspension seat, fitted with high-visibility rigid seat belt with adjustable web, accessible from both sides.

Extended warranty available.

For the full range visit www.lloyd.ltd.uk

Mini 10-tonne Low Loader



Standard features

Payload 7,780kg
Rear lights on beavertail
Parking brake
Closed beavertail
Manual ramps – adjustable position
Fixed shoe

Optional features

Sprung drawbar
Hydraulic / manual jack leg
Tool box – front / side
Colour

26-foot Tri-Axle Heavy-Duty Low Loader



Standard features

Payload 22,000kg
Sprung drawbar
12" chassis
Rear lights on ramp and inside well of beavertail
Mudguards front and rear
Parking brake
Well in beavertail
Sprung assisted ramps – 6mm steel plated with gripper bars

Optional features

Standard ring, VBG, ball, rockinger etc,
Adjustable height / rotary / adjustable and rotary
Axles: 8 stud 80kph (300 x 135) or Full Commercial 10 stud 105kph (310 x 190)
Wheels: 235/75 17.5 or 435/50 19.5
Braking system: air / oil options complete with load sensing valve / Fail safe valve / ABS
Bale wedge
Closed beavertail
Swing outriggers

Standard Dump Loader



Standard features

Standard drawbar
Heavy-duty EN16 towing eye
Mudguards and flaps
Hydraulic brakes
Loading ramps with storage tray
Support stool
Tie hooks

Optional features

Rotary towing eye
Braking system – air / oil options
Fail safe valve / choke valve
10mm floor
Colour

14-tonne Dump Trailer



Standard features

Sprung drawbar
Heavy-duty EN16 towing eye
Mudguards and flaps
Hydraulic brakes

Optional features

Rotary towing eye
Braking system – air / oil options
Fail safe valve / choke valve
10mm floor
Double acting rear door
Wheels – 550/45 22.5
Colour

In a league of its own, the Mercedes-Benz Unimog is designed solely to achieve maximum performance 24 hours a day, every day, to meet the highest targets of productivity, efficiency and cost-saving.

The Unimog enjoys an unrivalled reputation, earned in some of the world's harshest and most remote operating conditions, as the ultimate off-road vehicle. The range comprises two core variants: an implement carrier with front, side and rear attachment points, and a base truck for a range of other bodies.

All Unimogs have a 4x4 chassis with single rear wheels, which follow the track created by the front wheels. Gross weights vary from 7.5 to 16 tonnes, and engine outputs from 156Hp to 300Hp, while there are two standard cab designs for implement carrier and truck versions, as well as a crew cab option.

The unique qualities of the Unimog result from the implements which can be attached to it to support an exceptional number of applications, from hedge-cutting to snow-ploughing.

Example specialist implement manufacturers which are compatible with Unimog include:

- **Mulag** (hedge-cutters, mowers and tunnel-washing equipment),
- **Palfinger** (cranes) and
- **Schmidt** (winter equipment).

These partnerships and more mean that the Unimog can be adapted to fulfill different requirements at different times of the year or for different projects, saving the cost of purchasing or hiring several machines.

Visit www.lloyd-unimog.co.uk for further details.



For the full range visit www.lloyd.ltd.uk

Flexible solutions to fund your purchase



At Lloyd Ltd we appreciate that our customers rely on different ways of funding their machinery purchase, which is why we offer flexible finance solutions to suit our customers' requirements.

Our Construction Sales Specialists work closely with our Finance Managers to provide personalised finance quotations tailored to each customer's needs.

Offering variations in deposits – often including other machinery in part-exchange – as well as differing contract durations and monthly payment amounts, all backed up with competitive finance rates, Lloyd Ltd is the ideal partner to help any company invest in its construction machinery.

For more information on our finance options, please contact your Construction Sales Specialist, Chad Rothon.



To discuss your requirements in detail, contact your local Lloyd Ltd representative.

Aftersales support when and where you need it



When machinery solutions lie at the heart of your own business operations, it is obviously essential that they perform at their best when you need them the most.

That is why Lloyd Ltd's Aftersales support is second to none, providing valuable peace of mind and expert assistance to keep your construction machinery working smoothly.

From manufacturer-trained technicians to our express parts delivery service and out-of-hours mobile aftersales support, Lloyd Ltd is here to help you whenever you need us.

Make sure you are LOLER and POWER compliant.

By law, all lifting equipment, which includes forklifts, telehandlers and excavators, needs a regular Thorough Examination certificate.

Make sure you are covered.
At Lloyd Ltd, your CFTS-Approved Thorough Examination Centre.



Fixed price service plans available for added peace of mind.

Lloyd Ltd.

CARLISLE
PENRITH

Your local construction machinery specialists.

Sales. Servicing. Parts. Advice.

- Extended warranty options.
- Full maintenance packages.
- Qualified, factory-trained technicians.
- Genuine parts - complete range in stock.
- Tailored finance packages:
 - to suit all business requirements
 - reduce the cost of ownership, and
 - improve the return on investment.

FIXED COST HIRE OPTIONS

Lloyd Ltd offer customers lease-hire options on all construction equipment for up to five years - inclusive of all maintenance and warranty.



Lloyd
www.lloyd.ltd.uk

KOBELCO



Thwaites



Mercedes-Benz
Trucks you can trust



Lloyd Ltd.
CARLISLE

Kingstown Broadway,
Kingstown Industrial Estate,
Carlisle CA3 0EF.

01228 517 100

Construction Sales

Chad Rothon **07980 798 311**
E-mail chad.rothon1@lloydgroup.co.uk

Lloyd Ltd.
PENRITH

Myers Lane,
Penrith
CA11 9DP.

01768 863 806



Lloyd
www.lloyd.ltd.uk

