



Bobcat

One Tough Animal

SKID-STEER LOADERS

S66-2, S76-2, S86-2

R-Series Evolution

🌐 Europe



INTRODUCTION

ONE
TOUGH
ANIMAL

OUR MISSION

We empower operators to accomplish more, while working in the toughest conditions and tightest situations. When our customers have the will, we provide the way.



BOBCAT'S HISTORY

In 1958, the Melroe Manufacturing Company introduced a compact front-end loader that quickly evolved into the M400, the world's first true skid-steer loader. The company soon adopted what became the world-famous "Bobcat" brand, and its success paved the way for the global compact equipment industry we see today.

YEARS OF EXPERIENCE

Today, Bobcat's EMEA headquarters in Dobříš, Czech Republic, serves as a hub for innovation. Here, a manufacturing plant produces around 25 000 machines annually for EMEA customers and global export. The site is also home to the Bobcat Innovation Centre, where rigorous testing and product development take place using advanced facilities like climate-controlled and anechoic chambers.



BOBCAT TODAY

With over 60 years of manufacturing experience and a commitment to ongoing innovation, Bobcat has delivered millions of machines to the market. Known for their high performance, reliability, and unparalleled comfort, the diverse lineup caters to various applications. Whether it's landscaping, snow removal, construction, demolition, or roadwork, Bobcat machines empower users to accomplish more.



PERFORMANCE AND AGILITY MEET SMART TECH

► BOOST IN RELIABILITY, PERFORMANCE AND OPERATOR EXPERIENCE

Using decades of experience developing the toughest loader on the planet, we added a host of improvements and smart technology to increase durability, boost performance, and bring first-class comfort to the all-new R-Series.



► **AGILE AND STRONG**
Outstanding lift capacity with high pushing and breakout forces, complemented by excellent machine agility.



► **SELECTABLE DRIVE MODES**
Master your jobsite with four new drive modes: Balanced, Agile, Dynamic, and Charged. Easily match your machine's responsiveness to the task—from smooth precision to lightning-fast action.



► **FIRST-CLASS COMFORT**
Auto Ride Control provides a smooth ride, extensive connectivity options make staying in touch easy, and an 8" touch display allows you to control all machine settings with ease.



► **IMPROVED VISIBILITY**
New cab construction is optimized for maximum visibility, with integrated rear and optional side cameras.

OUTSTANDING PERFORMANCE

► AGILE AND POWERFUL

Experience a productivity boost with the S86-2, now featuring an increased 115 hp engine. Together with an industry-unique 159 l/min Super Flow system, it provides the high-performance lifting and hydraulic flow required to dominate heavy-duty attachments and the toughest jobsites with ease.



► IMPROVED COOLING

The R-Series cooling system is completely redesigned for optimal operation and uptime. The fan is almost 50% bigger and comes with a reversible option, increasing productivity in dirty conditions.

► INCREASED LIFTING CAPABILITIES

Thanks to the longer wheelbase and a perfect balance between weight and horsepower, the R-Series features outstanding stability and enough lift capacity for any job site. 3.7 m lift height at the hinge pin of the S86-2 speeds up high-sided loading, boosting productivity.



STEP INSIDE

► CONNECTIVITY AND VISIBILITY

Keep your job in clear sight and stay focused with rear and optional side cameras. The roomy, soundproofed cab allows you to manage calls undisturbed and avoid noise fatigue. Staying in touch is easy thanks to extensive connectivity options, while the 8" touch display lets you control all machine settings with ease.

► 8-INCH TOUCHSCREEN DISPLAY



Elevate your experience with the 8-inch glove-friendly touchscreen designed for intuitive navigation. Manage multi-camera views even with a split-screen, pair your phone with built-in Bluetooth for calls, and save custom profiles for up to 20 operators.

► ADVANCED CONNECTIVITY




The new Infotainment system keeps you connected and entertained with an integrated radio, a more powerful speaker setup, and high-speed USB-C ports. For seamless communication, Bluetooth pairing works alongside active noise-cancelling technology to filter out background interference. This ensures your phone calls remain crystal clear and undisturbed, even in the heart of a busy job site.

► CLEAR VIEW CAB



Get a whole new experience while operating your Bobcat loader with Clear View Cab. It provides a clear, unobstructed view, helping you perform any task. The thick polycarbonate glass on the sides of the cab with a minimal metal mesh allows you to maintain full operator protection while providing a clear view to improve the quality of the working conditions even on the toughest jobsites.



BUILT TO LAST

► **OUTSTANDING UPTIME**

R-Series loaders are engineered for the most demanding environments, featuring an extremely durable transmission with a maintenance-free drive chain and a rugged unibody steel frame. This heavy-duty construction makes them ideal for rigorous industrial applications and demolition sites.

To maximize uptime, the series incorporates a suite of enhancements designed to minimize maintenance and safeguard your investment. These include integrated self-diagnostics, cold weather and battery protection, and improved hose routing. Combined with easier access to lubrication points and machine shutdown protection, the R-Series ensures your machine stays on the job longer with less downtime.



► **EXTENDED SERVICE INTERVALS**

R-Series loaders feature enhanced fuel and air filters with significantly larger surface areas, protecting the system while extending filter life. These improvements, combined with extended service intervals—including a first service recommendation at 500 hours—allow you to improve efficiency and reduce operating costs.



A MACHINE THAT WORKS WITH YOU. A BRAND THAT STANDS BEHIND YOU.

Buying a Bobcat isn't just a purchase — it's peace of mind. From day one to the final hour, we're with you.



BOBCAT WARRANTY

COVERAGE THAT HAS YOUR BACK

Every new Bobcat comes with built-in confidence — and the option to go even further.

- ✓ Up to 36 months of standard coverage (varies by model)
- ✓ Protection Plus: Extend your warranty and your peace of mind



MACHINE IQ

STAY IN CONTROL — EVEN FROM A DISTANCE

Track your machine's performance, location, fuel level, and health in real time from your phone or computer thanks to Machine IQ, with a Standard plan now free with new machines.



ATTACHMENTS

ONE MACHINE, MANY JOBS

Your Bobcat is more than a machine — it's your all-in-one solution. From loading to drilling to cleanup, swap tasks in seconds.

- ✓ Pre-selected kits for easier setup
- ✓ Quick changes with Bob-Tach™ or common industry interface (CII)

TRAINING VIDEOS:
QUICK TIPS,
REAL RESULTS



SERVICE

SERVICE THAT KEEPS YOU MOVING

Bobcat-authorized service means your machine gets expert care — fast. Regular checks, genuine parts, minimal downtime. And support that's always close by.



GENUINE PARTS

GUARANTEED PERFORMANCE.

Perfect fit, lasting performance, longer machine life. With genuine Bobcat parts, every start is reliable, and every action precise.

- ✓ Wide partner network
- ✓ 96% of parts delivered within 48 hours



BOBCAT CERTIFIED

BACKED TO HOLD VALUE

A well-maintained Bobcat keeps its edge — and its worth. With Bobcat Certified, your machine stays recognised, trusted, and ready for the next owner.

BOBCAT. RELIABILITY THAT LASTS LONGER.

S66-2

► COMPACT YET POWERFUL
Despite its compact footprint, the S66-2 offers a surprising amount of power with a rated operating capacity of 1 134 kg while running on the same reliable engine as the S76-2.



S76-2

► POWER MEETS CONTROL
With a rated operating capacity of 1 361 kg, the S76-2 is designed to do more, even in the most demanding environments. Enjoy excellent reliability, versatility, and productivity over a wide range of applications with whatever attachment you need for the job at hand.



CHOOSE YOUR ANIMAL

S86-2

► BIGGER & BETTER
Reach farther and do more in a powerful yet agile machine that's built to last. The S86-2's 1 587 kg rated operating capacity, outstanding 115 hp engine (an increase from 105 hp) 3 175 kg tipping load, and Super Flow function will stand up to many years of demanding work.



S66-2	74 hp	102 l/min	3.0 m	2 268 kg
	ENGINE POWER	HYDRAULIC FLOW	LIFT HEIGHT	TIPPING LOAD
	74 hp	115 l/min	3.3 m	2 722 kg
	ENGINE POWER	HYDRAULIC FLOW	LIFT HEIGHT	TIPPING LOAD
S76-2	115 hp	159 l/min	3.7 m	3 175 kg
	ENGINE POWER	HYDRAULIC FLOW	LIFT HEIGHT	TIPPING LOAD

STANDARD EQUIPMENT & OPTIONS

	S66-2	S76-2	S86-2
CAB			
3-point seat belt	✓	✓	✓
8" touch display (radio ready)	✓	✓	✓
8" infotainment	•	•	•
Adjustable suspension seat	✓	✓	✓
Heated cloth air ride seat with 3 point seat belt	✓	✓	✓
Auto air conditioning	•	•	•
Clear View Cab*	•	•	•
Deluxe pressurized cab* with air conditioning	✓	✓	✓
FOPS kit*	•	•	•
Keyless start	✓	✓	✓
Lexan rear window kit	•	•	•
Radio	•	•	•
Seat bar	✓	✓	✓
Selectable Joystick Controls (SJC)	✓	✓	✓
Special applications front door kit	•	•	•
LIGHTS & BEACON			
Beacon	•	•	•
LED side lighting kit	•	•	•
LED working lights front and rear	✓	✓	✓
Premium LED lights (with corner view)	•	•	•
Headlight guard kit	•	•	•
Tail light guard kit	•	•	•
TIRES			
Heavy duty tires	✓	✓	✓
Heavy duty tires, offset rims	–	–	•
Severe duty tires	•	•	•
Solid flex tires	•	•	•
Super float tires	•	–	–

	S66-2	S76-2	S86-2
PERFORMANCE			
Attachment control kit	✓	✓	✓
200 lbs (90 kg) counterweight kit	•	•	•
300 lbs (136 kg) counterweight kit	•	•	•
Auto-ride control	•	•	•
Auxiliary hydraulics: variable flow / maximum flow rate	✓	✓	✓
Bob-Tach™ attachment system	✓	✓	✓
Bobcat Interlock Control System (BICS)	✓	✓	✓
Dual direction bucket positioning (including ON / OFF switch)	✓	✓	✓
Engine block heater kit	•	•	•
Engine / hydraulics system shutdown	✓	✓	✓
Front axle counterweight kit	•	•	•
Five coupler auxiliary block	–	–	•
Standard flow hydraulics	–	–	✓
High flow hydraulics	✓	✓	•
Super flow hydraulics	–	–	•
Lift arm support	✓	✓	✓
Power Bob-Tach™	•	•	•
Rear auxiliary hydraulic kit	•	•	•
Reversible fan	•	•	•
Spark arrestor muffler	✓	✓	✓
2-speed travel	✓	✓	✓
MISCELLANEOUS			
Backup alarm	✓	✓	✓
4-point lift kit	•	•	•
Debris seal kit	•	•	•
Horn	✓	✓	✓
Machine IQ (telematics)	✓	✓	✓
Operating manual	✓	✓	✓
Parking brake	✓	✓	✓
Rearview camera	•	•	✓
Side cameras	•	•	•
Road kit	•	•	•
Single-point lift kit	•	•	•

* Roll Over Protective Structure (ROPS) – meets requirements of SAE-J1040 and ISO 3471; Falling Object Protective Structure (FOPS) – meets requirements of SAE-J1043 and ISO 3449, Level I

• = option ✓ = standard – = not available or not compatible

PERSONALIZE YOUR MACHINE

Sometimes, we all want to add a specific functionality or a personal touch to the machine. Choose from a list of comprehensive options and customize your loader to your heart’s content!



Auto air conditioning Auto Ride Control Headlight guard kit



Lexan rear window kit LED side lighting kit Power Bob-Tach™



Reversible fan Reversing camera Clear View Cab



5-block coupler for Super Flow



Tail light guard kit



Premium LED lights (with corner view)



8" infotainment


MULTI-TOOL CARRIER

BOBCAT ATTACHMENTS

Get more versatility and efficiency with Bobcat attachments and implements.

- The largest choice of attachments in the industry.
- Match performance to your Bobcat machine.
- Work harder with stronger components and construction.
- Rest easy with the 12-month warranty on every genuine Bobcat attachment.

TOP SELECTION OF ATTACHMENTS			
	S66-2	S76-2	S86-2
1 Angle broom	•	•	•
2 Auger	•	•	•
3 Bale fork	•	•	—
4 Box blade	•	•	•
5 Breaker	•	•	•
6 Brushcat™ rotary cutter	•	•	•
7 Bucket, combination	•	•	•
8 Bucket, construction / industrial	•	•	•
9 Bucket, fertilizer and grain	•	•	•
10 Bucket, low profile	•	•	•
11 Bucket, skeleton	•	•	•
12 Bucket, snow & light material	•	•	•
13 Bucket, mixing	•	•	•
14 Concrete mixer	•	•	•
15 Concrete pump	•	•	•
16 Digger	•	•	•
17 Dozer blade	•	•	•
18 Flail cutter	•	•	•
19 Forestry cutter	•	•	•
20 Grader	•	•	•
21 Grapple, industrial	•	•	•
22 Grapple, root	•	•	•
23 Landplane	•	•	•
24 Landscape rake	•	•	•
25 Laser equipment	•	•	•
26 Mower	•	•	•
27 Pallet fork	•	•	•
28 Planer	•	•	•
29 Sand cleaner	•	•	•
30 Scarifier	•	•	•
31 Scraper	•	•	•
32 Snow pusher	•	•	•
33 Snow v-blade	•	•	•
34 Soil conditioner	•	•	•
35 Soil and asphalt spreader	•	•	•
36 Stump grinder	•	•	•
37 Sweeper	•	•	•
38 Tiller	•	•	•
39 Tree transplanter	•	•	•
40 Trencher	•	•	•
41 Utility fork	•	•	•
42 Vibratory roller	•	•	•
43 Wheel saw	•	•	•
44 Wood chipper	•	•	•




Bobcat R-Series loaders feature High or Super Flow hydraulics for enhanced performance with advanced attachments.

Actual attachment compatibility may vary depending on the machine configuration. Contact your dealer for specific compatibility details.

• = available — = not available

MULTI-TOOL CARRIER



BOBCAT OFFERS A WIDE RANGE OF ATTACHMENTS TO MEET YOUR NEEDS. CHECK OUT THE 'BOBCAT ATTACHMENT CATALOG' FROM YOUR DEALER OR DOWNLOAD THE 'ONE TOUGH WORLD' APP VIA THE QR CODE.



SPECIFICATIONS


SPECIFICATIONS				
	Unit	S66-2	S76-2	S86-2
MACHINE RATING				
Tipping load (ISO 14397-1)	kg	2 268	2 722	3 175
Rated operating capacity (ISO 14397-1)	kg	1 134	1 361	1 587
Pump capacity Std Flow (at pump rpm)	l/min	66.5	88.1	89.3
Pump capacity High Flow (at pump rpm)	l/min	101.8	114.7	138.5
Pump capacity Super Flow (at pump rpm)	l/min	–		159
System relief at quick couplers	MPa	23.8 – 24.5		
Travel speed (low)	km/h	11.8	10.9	11.1
Travel speed (high)	km/h	17.7	19	19.8
Lift arm path		vertical		
DIMENSIONS				
Length with standard bucket	mm	3 427	3 607	3 783
Width with standard bucket	mm	1 727	1 880	1 880
Height with operator cab	mm	2 045	2 079	2 111
Height to bucket hinge pin	mm	3 048	3 259	3 657
Wheelbase	mm	1 133	1 226	1 304
ENGINE				
Make / Model		Bobcat 2.4 l, 97 / 68 EC Stage V		D34 BSH SV, 97 / 68 EC Stage V
Fuel		diesel		
Cooling		liquid		
Power at 2600 rpm (ISO 14396)	kW	55.2		82
Torque at 1800 rpm (ISO 14396)	Nm	280		426
Number of cylinders		4		
Displacement	cm³	2 400		3 409
Fuel tank capacity	l	107	120	
WEIGHTS				
Operating weight*	kg	3 262	3 744	4 497
Shipping weight	kg	2 948	3 422	4 096
ENVIRONMENTAL				
Operator position noise level per ISO 6396/ISO 4871	dB(A)	78	77	79
Bystander noise level per ISO 6395	dB(A)	101		103
Whole body vibration (ISO 2631–1) High speed	ms ⁻²	0.8		0.59
Hand-arm vibration (ISO 5349-1 & 5349-2)	ms ⁻²	0.76	1.16	2.78
FORCES				
Breakout force – boom	kg	2 033	–	
Breakout force – bucket	kg	2 290	–	
Push force	daN	2 773	3 183	3 823
CYCLE TIMES				
Raising lift arms	s	3.8	4.5	
Lowering lift arms	s	2.2	2.9	3.0
Bucket rollback	s	1.6		2.0
Bucket dump	s	2.3	2.2	2.8

*Base machine with bucket, operator and full fuel tank

Certain specification(s) are based on engineering calculations and are not actual measurements. Specification(s) are provided for comparison purposes only and are subject to change without notice. Specification(s) for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors. Pictures of Bobcat units may show other than standard equipment.

DIMENSIONS

	Unit	S66-2	S76-2	S86-2
A Operating height	mm	3 910	4 252	4 345
B Height with operator cab	mm	2 045	2 079	2 111
C Angle of departure	°	25	27	26
D Ground clearance	mm	188	218	
E Wheelbase	mm	1 133	1 226	1 304
F Length without attachment	mm	2 718	2 894	3 059
G Length with standard bucket	mm	3 427	3 607	3 783
H Rollback at ground position	°		30	
I Dump height with standard bucket	mm	2 396	2 609	2 980
J Height to bucket hinge pin	mm	3 048	3 259	3 657
K Dump reach at maximum height	mm	869	850	864
L Dump angle at maximum height	°	37		39
M Rollback fully raised at maximum height	°	94		98
N Width with standard bucket	mm	1 727	1 880	
O Turning radius with standard bucket	mm	2 033	2 126	2 211
P Track, standard tires	mm	1 407	1 584	1 585
Q Width with standard tires	mm	1 642	1 829	



FINANCING OPTIONS

24, 36, OR 48-MONTH FINANCING*

Take advantage of 24, 36, or 48-month financing programs starting from **0% interest** and improve your cash flow.

Ask your dealer for the financing offers available.


340 MACHINES / **150** ATTACHMENT FAMILIES / **1** TOUGH ANIMAL



**SKID-STEER
LOADERS**



**COMPACT TRACK
LOADERS**




**COMPACT WHEEL
LOADERS**




**COMPACT
EXCAVATORS**



FORKLIFTS




TELEHANDLERS



ROTARY TELEHANDLERS



**WAREHOUSE
EQUIPMENT**



GENERATORS



**AIR
COMPRESSORS**



**LIGHT COMPACTION
EQUIPMENT**



**COMPACT
TRACTORS**



**MINI TRACK
LOADERS**



MOWERS



ATTACHMENTS

DOOSAN

Bobcat is a Doosan Company. Doosan is a global leader in construction equipment, power & water solutions, engines, and engineering proudly serving customers and communities for more than a century. | Bobcat and the Bobcat logo are registered trademarks of Bobcat Company in the United States and various other countries. ©2026 Bobcat Company. All Rights Reserved.

www.bobcat.com

©2026 BOBCAT B4503710-EN (08-26)



Bobcat

*Financing options may vary by country and dealer. Always ask your dealer about currently available financing options. Terms and conditions may apply.

Doosan Bobcat EMEA, U Kodelky 1810, 263 12 Dobříš, Czech Republic